The Dell C3765dnf multifunction color laser printer

Empower your organization to do more with the Dell C3765dnf multifunction color laser printer

Versatile 4-in-1 functionality perfect for medium workgroup needs

The Dell C3765dnf multifunction color laser printer offers the ultimate combination of powerful document management capabilities with print, scan, fax and copy capabilities, excellent print quality at a low cost per page, exceptionally high print speeds, and outstanding reliability designed to help maximize uptime. In addition, you can print directly to the Dell C3765dnf from Android devices by using the Dell Mobile Print app[1].

Featuring Dell's total print quality solution, ColorbyDell, the C3765dnf multifunction color laser printer delivers excellent color saturation and image sharpness plus outstanding overall print quality. With stunning print speeds of up to 36 pages per minute (ppm)[2] (letter) in both mono and color/35 ppm[2] (A4), (actual print speed will vary with use) and large print volume capacity of up to 80,000 pages per month (max), the Dell C3765dnf will easily handle the requirements of your organization.

Enjoy powerful document management capabilities, superior color quality, security features, and reliability combined with outstanding value — choose the Dell C3765dnf multifunction color laser printer.

Dell C3765dnf multifunction color laser printer

Product benefits

Excellent value

- Packed with crucial high performance features with one of the lowest Cost Per Page (CPP)* and lower acquisition price** than comparable printers in its class
- Industry-leading high yield drums to reduce running cost and total cost of ownership
- Toner cartridges that are separate from the drum unit are standard so that either drum unit or toner cartridge can be replaced without wasting the other
- Fuser maintenance kit is covered under the warranty so there are no additional costs if parts wear out during the warranty period

Direct printing from mobile devices

Experience the convenience of printing directly from your Android device using the Dell Mobile Print app[1]

Superior performance

- Dell's total print quality solution, ColorbyDell, is standard and delivers excellent color saturation and image sharpness plus outstanding print quality using advanced print technologies
- Bundled with powerful Nuance® PaperPort® Pro 14 document management software that allows organizations to scan, share, search and organize documents securely anywhere[3]
- True performance workhorse offers stunning print speeds of up to 36 pages per minute (ppm)[2] (letter) in both mono and color/ 35 ppm[2] (A4), (actual print speed will vary with use)
- Greater level of secure print management through a combination of LDAP protocol and Kerberos authentication
- High-speed duplexer for two-sided printing can help boost office productivity

Energy efficient and environmentally conscious

- Less energy used, faster warm up and print time compared to printers with conventional toners thanks to Dell's Emulsion Aggregation Eco Toner (EA-Eco)
- Easy one-touch operation activates Sleep Mode via the Energy Saver button to save energy
- Help reduce paper consumption with features like "N-Up" which prints multiple pages on one sheet of paper, and duplex 2-sided printing

Easy to set up, manage and use

- Equipped with an easy to read high quality 4.3 inch color touch-sensitive LCD panel with intuitive menu icons that can be easily customized for your organization's needs
- Dell features a suite of management software including Dell Toner Management System™, Dell Printer Configuration Web Tool and Dell ColorTrack Pro v1.1 allowing managers to monitor toner levels, configure the printer remotely using a web browser, and manage color printing access to control printing costs

Outstanding reliability

- Large print volume capacity of up to 80,000 pages per month (max)
- Extra high-yield toner cartridges to help minimize both down time and user intervention
- Gain peace of mind with Dell's standard 1-Year Limited Hardware Warranty[4] and 1-Year Next Business Day On-Site Service After Remote Diagnosis[5] that includes a Fuser Maintenance Kit

Order supplies online or through selected partners

Dell C3765dnf multifunction color laser printer

Dell C3765dnf multifunction color laser printer control panel

Dell C3765dnf multifunction color laser printer connectivity

Dell C3765dnf Enterprise Security and Wireless Kit

Get the most out of your Dell printer with genuine Dell options and supplies

Toner cartridges[6]	Dell C3765dnf black toner standard and ship-with capacity: approximately 3,000 pages black and color (CMY); high capacity: approximately 7,000 pages black and 5,000 pages color (CMY); extra high capacity: 11,000 pages black and 9,000 pages color (CMY)
Memory (RAM)	512 MB standard; additional 512 MB RAM via DDR2 SO-DIMM slot x 1, 144-pin SO-DIMM (1024 MB RAM maximum including standard memory)
Connectivity	USB 2.0 (high speed) client port, ethernet port (gigabits), wireless port (for optional dongle), USB host port (USB 2.0 embedded host port for USB direct print and scan)
Wireless LAN card and HD	Enterprise Security and Wireless Kit (includes both wireless dongle and 160 GB HDD)
Paper handling	Standard input 550-sheet tray; 150-sheet multipurpose tray; Optional: 550-sheet tray; Standard output: 250-sheet
Standard warranty and service	1-Year Limited Hardware Warranty[4] and 1-Year Next Business Day On-Site Service After Remote Diagnosis[5]

Dell C3765dnf multifunction color laser printer

Product description	Excellent value, reliability, and superior performance combined with powerful document management capabilities in a versatile 4-in-1 multifunction color printer.
Printer specifications	
Print speed	Up to 36 pages per minute (ppm)[1] (letter) in both mono and color/ 35 ppm[1] (A4), (actual print speed will vary with use)
Duplex speed	Up to 23 pages per minute (ppm) (letter) in both mono and color/ 23 ppm (A4), (actual print speed will vary with use)
Warm up time	Less than 19.9 sec from "Power on" to Ready state on display
First page out time	
From Ready state	Less than 13.5 sec (mono), 14 sec (color)
Print resolution	600 x 600 dpi
User interface	4.3 inch, Color Touch Screen and 10 digit keypad
Data streams	PCL® 6 Emulation (includes PCL 5e), Adobe® PostScript® 3™
Processor speed	533 MHz
Memory (RAM)	512 MB
Memory expansion	Up to 512 MB RAM via one DDR2 SO-DIMM slot (1024 MB RAM max including standard memory)
Read-only memory (ROM)	64 MB (programs, fonts)
Maximum duty cycle	80,000 pages per month
Mobile printing	Print directly from Android mobile devices via Dell Mobile Print app[1]
Copy specifications	
Copy speed (1 to N)	35 copies per minute (cpm) letter/A4
Copy speed (N to N)	13 copies per minute (cpm) letter/A4
Copy resolution	Text, text/photo, and photo 600 x 600 dpi
Maximum copies	Up to 99
Reduce/enlarge	25% to 400% (25% to 400% - ADF)
Flatbed copy size	Letter, A4, A5, B5, Executive
Copy functionality	ID copy, N-up, collate, sharpness, color balance, background removal, color saturation
Scan specifications	
Scan resolution	Optical: 1200 x 1200 dpi (color@platen), software enhanced: 9600 x 9600 dpi (max)
Scan depth	Color: 24-bit; mono: 8-bit grey scale, 1 bit lineart
Scan utilities/applications	Nuance® PaperPort® Pro 14, Languages Support EFIGS + D, OS: Windows Vista/Windows 7 (32-bit/64-bit), Windows XP (32-bit only)
Scanning functionality	Scan to file, scan to email, scan to FTP (network server), Scan to SMB (network folder)
Scan to media (file format)	JPEG, TIFF (single/multi), PDF (v1.6)
ADF	
ADF type	DADF
Input / output capacity	Up to 50 sheets, 60 - 125 gsm; 16 - 33.3 lbs (bond paper)
Media size	US Letter, Executive, A4, A5, B5, US Legal, folio; *width:* 5.5 to 8.5 in. (139 to 216 mm); *length:* 5.5 to 14 in. (140 to 356 mm)
Fax specifications	
Modem speed	Up to 33.6K bps
Fax transmission speed (LTR)	Approximately 3 seconds/page
Fax job storage	4 MB or up to 200 pages
Fax functionality	Fax broadcasting, delayed fax/scheduled fax, fax forwarding, secure fax receive, distinctive ring pattern detection (manual mode), ECM, PC fax, speed dial 200 locations, group dial
Paper handling	
Standard input sources	150-sheet multipurpose tray, 550-sheet standard tray
Additional input capacity	Optional 550-sheet tray
Maximum input capacity	1,250 sheets
Duplexer for two-sided printing	Standard
Standard output destination	250-sheet bin
Maximum output capacity	250 sheets
Additional output destinations	Not available
Supported media types, sizes and paper weights	
Media types supported	Plain paper (light, normal, thick); coated paper (normal, thick); label stock (normal,thick); envelope; post card; recycled paper
Media sizes	
Multipurpose 150-sheet tray	US Letter, Executive, Folio, US Legal, A4, B5, A5, Envelope#10 (SEF), Custom size: Width: 3 in. – 8.5 in. (76.2 mm - 215.9 mm), Length: 5 in. – 14 in. (127 mm - 355.6 mm)
Standard and optional 550-sheet drawers and duplexer	US Letter, Executive, Folio, US Legal, A4, B5, A5, Custom size: Width: 5.8 in. – 8.5 in., (148.5 mm to 215.9 mm) Length: 8.3 in. – 14 in. (210 mm to 355.6 mm)
Media weight	*Multipurpose tray*: paper density @ bond paper, 16 - 57 lb (60 - 216 gsm), *Standard and optional tray*: paper density @ bond paper, 16 - 57 lb (60 - 216 gsm)
Maximum printable area	8.2 in. x 13.7 in. (207.9 mm x 347.6 mm)
Page layout options	Portrait or landscape orientation, multiple copies, duplex printing, multipage printing (N-up), poster, booklet printing, watermarks, collate, form, rotation
Connectivity	
Standard interfaces	USB 2.0 (high speed) Client port, Ethernet port (Gigabits), Wireless port (For optional dongle), USB Host Port (USB 2.0 Embedded Host Port for USB Direct Print)

Dell C3765dnf multifunction color laser printer

Print languages and fonts	Print languages: PCL 6, PostScript 3, XPS, PDF v1.6 (JPEG2000-enhanced N & 3D artwork not supported); Fonts: HP PCL® 6 Emulation: 80 scalable fonts PostScript® Level 3 136 scalable fonts
Client operating systems	Microsoft® Windows® 7 (32/64 bit), (all skus and service packages), Vista (32/64 bit) (Home Basic, Home Premium, Ultimate, Business), Windows Server® 2008 R1&R2 (all service packages), Windows® Server® 2003 XP 32 bit, 64 bit & embedded (all skus and service packages), Windows® Server® 2003 (all service packages), Windows® Cluster Server Environment; Mac OS 10.3.9 - 10.7; SUSE Linux Enterprise Desktop 11 (x86), SUSE Linux Enterprise Desktop ver 10, Red Hat® Linux Enterprise Desktop 5 (x86); HP UX 11i v2 onwards, Solaris™ 9, IBM AIX 5.1, 5.2, 5.3 and 6; Novell YES certification, iPrint; SAP R/3 Release 4.6B onwards
Network operating systems	Microsoft® Windows® NT 4.0 SP6a, Windows 2000 SP2-4, Windows Server 2003 SP1, Windows Server 2003 x64, Windows Server 2008 x32/x64, UNIX® (Solaris™ 10, HP-UX11i), Linux (Red Hat® Enterprise Linux ES 4/5, SuSE Enterprise SuSE 10, TurboLinux Fuji), NetWare™ Ver 3-6.5
Wireless kit (Options: Wireless Dongle and 160 GB HDD)	Enterprise Security (WPA2 Enterprise, Digital Certificate, HDD Encryption and Secured Erase), WPA2 Personal, WPA, WEP
Transport/network protocols, standard	TCP/IP, IPv4/IPv6, Port 9100, LPD/LPR, FTP, SMB, IPP, IPP over SSL (with harddisk) WSD, HTTP, HTTPS, SSL/TLS, SNMP (v1, v2, v3), MIBv2 (RFC1213 compliant), BOOTP, DHCP, RARP, Auto IP, WINS, DNS, Bonjour(mDNS), Telnet
Consumables	
Toner management	Dell Supplies Ordering Utility intelligently monitors toner status and proactively notifies the user in advance of running out of toner
Ship-with toner cartridge capacity[6]	3,000 page capacity black; 3,000 page capacity color (CMY)
Standard toner cartridge capacity[6]	3,000 page capacity black; 3,000 page capacity color (CMY)
High capacity toner cartridge[6]	7,000 pages black; 5,000 pages color (CMY)
Extra high capacity toner cartridge[6]	11,000 pages black; 9,000 pages color (CMY)
Additional consumables	Imaging drum for 60,000 pages; toner waste container for 30,000 pages
Toner recycling	Toner cartridges are recyclable using Dell's recycling program. For details, visit dell.com/recycle.
Language and regulatory certifications	
Printer firmware and printer driver software	English, French, Italian, German, Spanish, Dutch, Danish, Norwegian and Swedish
User documentation (soft copy user manual on CD)	English, French, Italian, German, Spanish, Dutch, Danish, Norwegian and Swedish
Safety certifications	IEC/EN60950-1:2005 2nd edition (International); EN60950-1:2006 2nd edition IEC60825-1 (Laser); CE Mark (EU); cTUVus FDA/DHHS (21CFR, Chapter 1, Subchapter J) Other safety approvals required by individual countries.
EMC certifications	CE mark (EU countries) EMC/Safety Standard: EN55022:2006 + A1:2007 Class B; EN61000-3-2:2006 + A:2009 + A2:2009 ClassA, EN 61000-3-3:2008, EN55024:1998 +A1:2001 +A2:2003; FCC CFR Title 47, Part 15 Class B (USA); ICES-003, Issue 4 (Canada)
Environmental compliance and other certifications/compliances	ErP Lot 6 Tier 1(2010), Tier 2(2013), ErP Lot 4 Tier 1(2010), Tier 2 (2012), GS Mark (Germany), RoHS-compliant[7], Energy Star-qualified[8], Blue Angel (Germany), WEEE
Printer management	Dell Printer Configuration Web Tool, Dell Supplies Ordering Utility, Standard Printer MIB, ColorTrack Professional v1.1
Warranty and service options	
Standard service	1-Year Next Business Day On-Site Service After Remote Diagnosis[5]
Service options	Extended service options are available up to 4 years
Physical specifications	
Dimensions (W x D x H)	*Printer:* 20.9 in. x 17.3 in. x 22.0 in. (439 mm x 530 mm x 558 mm); *Shipping:* 22.44 in. x 27.01 in. x 27.79 in. (570 mm x 686 mm x 706 mm)
Weight	*Printer:* 71.9 lbs (32.6 kg); *Shipping:* 82.67 lb (37.5 kg)
Operating environment	Temperature: 41°F to 90°F (5 to 32 °C); Relative humidity: 15 to 85% RH, non-condensing; Altitude: ≤ 10,170 ft (3,100 m) above sea level.
Storage	*Packaged:* Temperature: 32°F to 95°F (0 to 35° C); Relative humidity: 15 to 80% RH; Altitude: ≤ 10,170 ft (3,100 m) above sea level.
Acoustics[9]	
Printing (simplex mode)	Sound Pressure, Bystander position (LpAm): 53dB (Ref); Average Sound Power (LWAd), declared: 7.15B Color, 6.95B Mono
Standby mode	Sound Pressure, Bystander position (LpAm): 27dB (Ref); Average Sound Power (LWAd), declared: 4.69B
Power specifications	
Voltage	
100 and 120 vac models	100 to 127 vac ± 10 %, 50 ± 3 Hz / 60 ± 3 Hz nominal
230 vac models	220 to 240 vac ± 10 %, 50 ± 3 Hz / 60 ± 3 Hz nominal
Power consumption (Energy Star®-qualified)[8]	Continuous printing: 750W; Standby mode: 82W; Power Saver mode: *Sleep:* 19.5W, *Deep sleep:* 6W; *Off:* 0W
Typical energy consumption	3.1 kWh/week (TEC 230V / 120V)
Maximum current consumption	6A or less @ 110V, 3A or less @ 220V
Power Save options	User definable 5 - 60 mins. (default 6 mins.)
Contents in box	Dell C3765dnf Printer, Dell ship-with black, cyan, magenta and yellow cartridges (3,000 page yield[6], placemat, NOM techsheet, safety precaution techsheet, drivers and utilities CD, quick reference guide, power cord

* Dell C3765dnf has up to 20% lower in Mono/ 26% lower in Color CPP (against HP CM3530fs at 1.94 cents Mono / 13.08 cents Color CPP).

** Dell C3765dnf have a lower acquisition price than comparable printers in its class with a list price of $1049 (HP CM3530fs list price at $2499).

[1] The printer and the mobile device must be connected to the same wireless network.

[2] Measured in accordance with ISO IEC 27434/35 methodology. Actual print speeds will vary with use.

[3] Includes a connection to the PaperPort Anywhere cloud service with free mobile apps.

[4] For a copy of limited hardware warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or visit dell.com/warranty.

[5] Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

[6] Toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

[7] Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances (RoHS) dated 27 January 2003

[8] For details on energy efficiency of Energy Star-qualified products, refer to: http://www.energystar.gov.

[9] Tested in accordance with ISO 7779 and reported in accordance with ISO 9296, Acoustics - Declared noise emission values of computer and business equipment

v.1 06/2012
Information taken from Ad# G12001916 and G12001963

Microsoft, Windows and Windows Vista are trademarks or registered trademarks of Microsoft Corporation in the U.S. and other countries. Dell Inc. disclaims any proprietary interest in trademarks and trade names other than its own. © Copyright 2012 Dell Inc. Dell's Terms and Conditions of Sales and Service apply and are available upon request. Dell cannot be held responsible for errors in typography or photography.

Product availability varies by country. Please contact your Dell representative for more information.